FIG. 1b

Appl. No. 10/743,334 Amdt. Dated June 1, 2006 Response to Office Action of 3/3/06 Replacement Sheet






FIG. 1c


FILTER BRAKE-APPLICATION ENERGY REFERENCE VALUE


J1a

Appl. No. 10/743,334 Amdt. Dated June 1, 2006 Response to Office Action of 3/3/06 Replacement Sheet










Appl. No. 10/743,334 Amdt. Dated June 1, 2006 Response to Office Action of 3/3/06 Replacement Sheet


#### FIG. 5a

#### INFLUENCING FACTOR FOR AXLE-LOAD RATIO (ALV) = 1.0




# FIG. 5b

#### INFLUENCING FACTOR FOR AXLE-LOAD RATIO (ALV) = 1.0




# FIG. 5c

#### INFLUENCING FACTOR FOR AXLE-LOAD RATIO (ALV) = 1.0



Appl. No. 10/743,334 Amdt. Dated June 1, 2006 Response to Office Action of 3/3/06 Replacement Sheet

#### FIG. 5d



# FIG. 5e






FIG. 5f



Appl. No. 10/743,334 Amdt. Dated June 1, 2006 Response to Office Action of 3/3/06 Replacement Sheet


# FIG. 5g




#### FIG. 5h


#### INFLUENCING FACTOR FOR AXLE-LOAD RATIO (ALV) = 0 SUM OF THE INDIVIDUAL **AXLE LOADS** ALV-**⊚**= **INDIVIDUAL** -0.9 [-] AXLE LOADS 6.5 7.5 5.5 5.5 [t] 14 25 11 SUM OF THE [t] 6.6 5.9 5.2 **INDIVIDUAL** [bar/g] **AXLE LOADS BDN-A** ...KAPPA BDN-Z **TOTAL LOAD**

FIG. 5i






Appl. No. 10/743,334 Amdt. Dated June 1, 2006 Response to Office Action of 3/3/06 Replacement Sheet



Appl. No. 10/743,334 Amdt. Dated June 1, 2006 Response to Office Action of 3/3/06 Replacement Sheet



*F*/G. 9 PRIOR ART